



1. Which of the following is a point on the positive x-axis?

- (i) $((-8),5)$ (ii) $((-7),0)$ (iii) $(0,9)$ (iv) $(0,(-4))$ (v) $(5,0)$

2. Which of the following is a point on the negative x-axis?

- (i) $(9,0)$ (ii) $((-9),0)$ (iii) $((-3),9)$ (iv) $(0,3)$ (v) $(0,(-2))$

3. Which of the following is a point on the positive y-axis?

- (i) $((-5),3)$ (ii) $(3,0)$ (iii) $(0,(-7))$ (iv) $(0,3)$ (v) $((-5),0)$

4. Which of the following is a point on the negative y-axis?

- (i) $(0,8)$ (ii) $((-7),8)$ (iii) $((-7),0)$ (iv) $(6,0)$ (v) $(0,(-9))$

5. Which of the following is a point on the x-axis?

- (i) $(3,(-1))$ (ii) $(0,3)$ (iii) $((-5),9)$ (iv) $(3,0)$ (v) $(6,7)$

6. Which of the following is a point on the y-axis?

- (i) $(0,1)$ (ii) $(8,0)$ (iii) $((-8),7)$ (iv) $(9,2)$ (v) $(3,(-1))$

7. The coordinates of a point which is 3 units away from x-axis and 4 units away from y-axis in the first quadrant is

- (i) $(3,4)$ (ii) $((-4),3)$ (iii) $(4,(-3))$ (iv) $((-4),(-3))$ (v) $(4,3)$

8. The coordinates of a point which is 1 unit away from x-axis and 4 units away from y-axis in the second quadrant is

- (i) $(4,1)$ (ii) $((-4),1)$ (iii) $(1,(-4))$ (iv) $(4,(-1))$ (v) $((-4),(-1))$

9. The coordinates of a point which is 4 units away from x-axis and 7 units away from y-axis in the third quadrant is

- (i) $((-7),(-4))$ (ii) $(7,(-4))$ (iii) $(7,4)$ (iv) $((-7),4)$ (v) $((-4),(-7))$

10. The coordinates of a point which is 1 unit away from x-axis and 4 units away from y-axis in the fourth quadrant is

- (i) $((-4),(-1))$ (ii) $(4,(-1))$ (iii) $((-1),4)$ (iv) $(4,1)$ (v) $((-4),1)$

11. Find the distance between the points $((-8),8)$ and $(6,1)$

- (i) 35 (ii) $7\sqrt{7}$ (iii) $7\sqrt{2}$ (iv) $7\sqrt{5}$ (v) $7\frac{4}{\sqrt{5}}$

12. Find the perimeter of the triangle formed by the points $(8,(-6)),(4,(-5))$ and $((-1),(-2))$

- (i) $(\sqrt{17} + \sqrt{32} + \sqrt{97})$ (ii) $(\sqrt{17} + \sqrt{37} + \sqrt{97})$ (iii) $(\sqrt{17} + \sqrt{34} + \sqrt{97})$ (iv) $(\sqrt{17} + \sqrt{34} + \sqrt{97})$
(v) $(\sqrt{17} + \sqrt{34} + 97)$

13. Find the lengths of the sides of the triangle formed by the points $((-6),(-4)),((-2),(-1))$ and $(8,(-6))$

- (i) $6, 5\sqrt{5}, 10\sqrt{2}$ (ii) $5, 5\sqrt{5}, 10\sqrt{4}$ (iii) $5, 5\sqrt{5}, 10\sqrt{2}$ (iv) $5, 25, 10\sqrt{2}$

14. The points $(2, -2)$, $((-6), 3)$ and $((-2 - \frac{5}{2}\sqrt{3}), (\frac{1}{2} - 4\sqrt{3}))$ represent

- (i) equilateral triangle (ii) right angled triangle (iii) scalene triangle (iv) isosceles triangle

15. The points $((-4), (-6))$, $((-1), (-2))$ and $(3, (-5))$ represent

- (i) equilateral triangle (ii) scalene triangle (iii) right angle triangle (iv) isosceles right angled triangle
(v) collinear points

16. The points $((-5), (-4))$, $(3, (-4))$ and $(3, 0)$ represent

- (i) collinear points (ii) equilateral triangle (iii) right angle triangle (iv) isosceles right angled triangle
(v) scalene triangle


17. Distance of the point $(4, 5)$ from x-axis is

- (i) (-1) (ii) 4 (iii) 1 (iv) 9 (v) 5

18. Distance of the point $(1, 5)$ from y-axis is


- (i) 4 (ii) 6 (iii) 1 (iv) (-4) (v) 5

19. Distance of the given point from x-axis is



- (i) 3 (ii) 11 (iii) 7 (iv) 28 (v) 4

20. Distance of the given point from y-axis is



- (i) 0 (ii) 7

21. A point lies on positive side of x-axis at a distance of 9 units from y-axis. What are the coordinates of the point?

- (i) $(0, -9)$ (ii) $(0, 9)$ (iii) $(9, 0)$ (iv) $((-9), 0)$

22. A point lies on negative side of x-axis at a distance of 5 units from y-axis. What are the coordinates of the point?

- (i) $(5, 0)$ (ii) $(0, -5)$ (iii) $(0, 5)$ (iv) $((-5), 0)$

23. A point lies on positive side of y-axis at a distance of 6 units from x-axis. What are the coordinates of the point?

- (i) $(0, -6)$ (ii) $(6, 0)$ (iii) $(0, 6)$ (iv) $((-6), 0)$

24. A point lies on negative side of y-axis at a distance of 1 units from x-axis. What are the coordinates of the point?

- (i) $(0, -1)$ (ii) $((-1), 0)$ (iii) $(1, 0)$ (iv) $(0, 1)$

25. Find the distance of the point $((-7), (-6))$ from origin

- (i) $\sqrt{83}$ (ii) $\frac{4}{\sqrt{85}}$ (iii) 85 (iv) $\sqrt{85}$ (v) $\sqrt{87}$

26. A is a point on x-axis with abscissa 0 and B is a point on y-axis with ordinate 3. Find the distance between A and B

- (i) 0 (ii) 4 (iii) 3 (iv) 2 (v) 5

27. KM is the straight line of length $6\sqrt{2}$ units. If K has the coordinates $(0, -8)$ and M has coordinates $(k, -2)$, find the possible values of k

- (i) $(4, -8)$ (ii) $(5, -5)$ (iii) $(7, -7)$ (iv) $(8, -4)$ (v) $(6, -6)$

28. Find the point on x-axis which is equidistant from the points $(3,7)$ and $(4,4)$

- (i) $((-13),0)$ (ii) $((-12),(-1))$ (iii) $((-15),(-2))$ (iv) $((-14),1)$ (v) $((-11),2)$

29. Find the point on y-axis which is equidistant from the points $((-2),(-2))$ and $((-4),2)$

- (i) $(1, \frac{1}{2})$ (ii) $(0, \frac{3}{2})$ (iii) $(2, \frac{7}{2})$ (iv) $((-2), (-\frac{1}{2}))$ (v) $((-1), \frac{5}{2})$

30. Find the points on x-axis, which are at a distance of 7 units from the point $((-7),6)$

- (i) $((-9+\sqrt{13}),(-2)),((-7-\sqrt{13}),0)$ (ii) $((-7+\sqrt{13}),0),((-8-\sqrt{13}),1)$ (iii) $((-7+\sqrt{13}),0),((-7-\sqrt{13}),0)$
(iv) $((-6+\sqrt{13}),(-1)),((-7-\sqrt{13}),0)$ (v) $((-5+\sqrt{13}),2),((-7-\sqrt{13}),0)$

31. Find the points on y-axis, which are at a distance of 14 units from the point $(7,6)$

- (i) $((-2),(4+7\sqrt{3})),(0,(6-7\sqrt{3}))$ (ii) $(0,(6+7\sqrt{3})),((-1),(7-7\sqrt{3}))$ (iii) $(1,(5+7\sqrt{3})),(0,(6-7\sqrt{3}))$
(iv) $(2,(8+7\sqrt{3})),(0,(6-7\sqrt{3}))$ (v) $(0,(6+7\sqrt{3})),(0,(6-7\sqrt{3}))$

32. Find the lengths of the medians of a triangle whose vertices are $((-7),(-4)),(4,(-8))$ and $(4,(-7))$

- (i) $\frac{1}{2}, \frac{1}{2}\sqrt{130}, \frac{1}{2}\sqrt{137}$ (ii) $\frac{1}{2}\sqrt{533}, \frac{1}{2}\sqrt{146}, \frac{5}{2}\sqrt{5}$ (iii) $\frac{1}{2}\sqrt{137}, \frac{1}{2}, \frac{1}{2}$

33. If point $P(x,5)$ is equidistant from the points $((-5),2)$ and $((-4),(-8))$, find x

- (i) 76 (ii) $\frac{149}{2}$ (iii) $\frac{301}{4}$ (iv) $\frac{153}{2}$ (v) $\frac{151}{2}$

34. If point $P(\frac{93}{10},2)$ is equidistant from the points $(a,-2)$ and $(7,(-6))$, find a

- (i) 3 (ii) -1 (iii) 2 (iv) 5 (v) 1

35. Find the relation between x and y such that the point $P(x,y)$ is equidistant from points $(2,8)$ and $((-8),2)$

- (i) $(5x+3y)=0$ (ii) $(4x+3y)=0$ (iii) $(-15x+8y-34)=0$ (iv) $(5x+6y)=0$ (v) $(-15x+5y-34)=0$

Assignment Key

1) (v)	2) (ii)	3) (iv)	4) (v)	5) (iv)	6) (i)
7) (v)	8) (ii)	9) (i)	10) (ii)	11) (iv)	12) (iv)
13) (iii)	14) (i)	15) (iv)	16) (iii)	17) (v)	18) (iii)
19) (iii)	20) (ii)	21) (iii)	22) (iv)	23) (iii)	24) (i)
25) (iv)	26) (iii)	27) (v)	28) (i)	29) (ii)	30) (iii)
31) (v)	32) (ii)	33) (v)	34) (iii)	35) (i)	