



1. Find the transpose of matrix A =  $\begin{bmatrix} -5 & -3 \\ -6 & -9 \end{bmatrix}$

(i)  $\begin{bmatrix} -3 & -6 \\ -3 & -9 \end{bmatrix}$  (ii)  $\begin{bmatrix} -6 & -6 \\ -3 & -9 \end{bmatrix}$  (iii)  $\begin{bmatrix} -5 & -6 \\ -6 & -9 \end{bmatrix}$  (iv)  $\begin{bmatrix} -5 & -6 \\ -2 & -9 \end{bmatrix}$  (v)  $\begin{bmatrix} -5 & -6 \\ -3 & -9 \end{bmatrix}$

2. Which of the following is an identity matrix ?

(i)  $\begin{bmatrix} 1 & 1 \\ 0 & 1 \end{bmatrix}$  (ii)  $\begin{bmatrix} 1 & 0 \\ 0 & 4 \end{bmatrix}$  (iii)  $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$  (iv)  $\begin{bmatrix} 1 & -3 \\ 0 & 1 \end{bmatrix}$  (v)  $\begin{bmatrix} 1 & -1 \\ 0 & 1 \end{bmatrix}$

3. The number of rows in matrix A =  $\begin{bmatrix} 5 & 6 & 4 \\ 4 & 6 & 6 \\ 5 & 4 & 4 \end{bmatrix}$  is

(i) 2 (ii) 1 (iii) 3 (iv) 5 (v) 4

4. The number of columns in matrix A =  $\begin{bmatrix} -8 & 3 \\ 1 & -3 \end{bmatrix}$  is

(i) 0 (ii) 2 (iii) 3 (iv) 1 (v) 4

5. The order of matrix A =  $\begin{bmatrix} -4 \\ -1 \\ -3 \end{bmatrix}$  is

(i)  $3 \times 2$  (ii)  $2 \times 1$  (iii)  $1 \times 3$  (iv)  $3 \times 1$  (v)  $4 \times 1$

6. Which of the following are true?

a) An identity matrix is a square matrix  
b) A null matrix is a square matrix  
c) A column matrix is a square matrix  
d) A row matrix is a square matrix

(i)  $\{a\}$  (ii)  $\{c, a\}$  (iii)  $\{d, b, a\}$  (iv)  $\{b, a\}$

7. Which of the following are true?

a) A scalar matrix has all elements with same value  
b) A zero matrix is a square matrix  
c) A  $1 \times 1$  matrix has only one element  
d) A unit matrix has only one row and one column

(i)  $\{a, b, c\}$  (ii)  $\{c, d\}$  (iii)  $\{b, d\}$  (iv)  $\{a, d, c\}$  (v)  $\{a, c\}$

8. Which of the following are true?

- a) A matrix is symmetric if the principal diagonal elements are same
- b) If a matrix is symmetric, then it is a square matrix
- c) A rectangular matrix cannot be symmetric
- d) If a matrix is symmetric then it is equal to its transpose

(i) {a,b,c} (ii) {a,b} (iii) {a,c} (iv) {b,c,d} (v) {a,d}

9. If the transpose of a matrix is equal to its additive inverse, that matrix is called \_\_\_\_?

- (i) scalar matrix (ii) skew symmetric matrix (iii) symmetric matrix (iv) identity matrix

10. Which of the following are true ?

- a) Only square matrices have determinants
- b) A square matrix whose determinant is zero is called a singular matrix
- c) Rectangular matrices can also have determinants
- d) A square matrix whose determinant is zero is called a non-singular matrix

(i) {c,d,a} (ii) {d,b} (iii) {c,a} (iv) {c,b,a} (v) {a,b}

11. If the elements of matrix A are multiplied with -1 , we get

- (i) multiplicative inverse of A (ii) additive inverse of A (iii) additive identity of A
- (iv) multiplicative identity of A

12. If the elements of matrix A are multiplied with 0 , we get

- (i) multiplicative inverse of A (ii) additive identity of A (iii) additive inverse of A
- (iv) multiplicative identity of A

13. Which of the following are true?

- a) An identity matrix is a square matrix
- b) An identity matrix is a scalar matrix
- c) A scalar matrix is an identity matrix
- d) A null matrix is a scalar matrix

(i) {a,b} (ii) {c,d,a} (iii) {c,b,a} (iv) {d,b} (v) {c,a}

14. A  $2 \times 4$  matrix has

- a) 6 rows and 4 columns
- b) 2 rows and 8 columns
- c) 2 rows and 4 columns
- d) 4 rows and 2 columns

(i) {d,a,c} (ii) {a,c} (iii) {b,c} (iv) {c}

15. Which of the following are true for matrices A and B ?

- a) If A and B can be multiplied, they must have the same order
- b) The orders of  $(A \times B)$  and  $(B \times A)$  are same
- c) If A and B can be added, they must have the same order
- d) If  $AB = 0$ ,  $A = 0$  or  $B = 0$  or both A and B are zero matrices

(i) {b,c} (ii) {c} (iii) {a,c} (iv) {d,a,c}

16. If  $(A+B) = 0$ , then

- a) B is the additive identity of A
- b) B is the additive inverse of A
- c) A is the additive identity of B
- d) A is the additive inverse of B

(i) {a,d,b} (ii) {a,b} (iii) {b,d} (iv) {a,c,b} (v) {c,d}

17. Which of the following is a square matrix?

(i)  $\begin{bmatrix} 958 \\ 784 \end{bmatrix}$  (ii)  $\begin{bmatrix} 771 \\ 357 \\ 418 \end{bmatrix}$  (iii)  $\begin{bmatrix} 521 \\ 718 \\ 285 \\ 792 \end{bmatrix}$  (iv)  $\begin{bmatrix} 7298 \\ 7489 \\ 9339 \\ 1114 \\ 5759 \end{bmatrix}$  (v)  $\begin{bmatrix} 8364 \\ 9251 \\ 7428 \end{bmatrix}$

18. Which of the following is a rectangular matrix?

(i)  $\begin{bmatrix} 35 \\ 63 \end{bmatrix}$  (ii)  $\begin{bmatrix} 5858 \\ 6914 \\ 5387 \\ 5168 \end{bmatrix}$  (iii)  $\begin{bmatrix} 615 \\ 377 \\ 575 \\ 359 \\ 594 \end{bmatrix}$  (iv)  $\begin{bmatrix} 241 \\ 126 \\ 825 \end{bmatrix}$  (v)  $\begin{bmatrix} 9 \end{bmatrix}$

19. Which of the following are true?

- a) If matrices A & B can be multiplied, they must have the same order
- b) If  $AB = 0$ , then A = 0 or B = 0 or both A & B are 0
- c) The order of  $(A \times B)$  and  $(B \times A)$  is same
- d) If matrices A & B can be added, they must have the same order

(i) {a,d} (ii) {c,a,d} (iii) {d} (iv) {b,d}

20. Which of the following are true for matrices A, B and C?

- a)  $(A \times I) = (I \times A) = I$
- b)  $(A \times I) = (I \times A) = A$
- c)  $(A \times B) = (B \times A)$
- d)  $A \times (B \times C) = (A \times B) \times C$
- e)  $(A+B) \times C = (A \times B) + (A \times C)$
- f)  $A \times (B+C) = (A \times B) + (A \times C)$

(i) {c,b,d} (ii) {b,d,f} (iii) {a,b} (iv) {e,a,f} (v) {c,d}

21. Which of the following is a row matrix

(i)  $\begin{bmatrix} 9 \\ 5 \\ 2 \\ 7 \end{bmatrix}$  (ii)  $\begin{bmatrix} 8 \\ 6 \\ 4 \end{bmatrix}$  (iii)  $\begin{bmatrix} 77 \end{bmatrix}$  (iv)  $\begin{bmatrix} 3 \\ 2 \end{bmatrix}$  (v)  $\begin{bmatrix} 2 \\ 8 \\ 4 \\ 1 \end{bmatrix}$

22. Which of the following is a column matrix

(i)  $\begin{bmatrix} 1 & 5 & 9 & 6 \end{bmatrix}$  (ii)  $\begin{bmatrix} 7 & 6 & 1 \end{bmatrix}$  (iii)  $\begin{bmatrix} 2 & 4 \end{bmatrix}$  (iv)  $\begin{bmatrix} 7 & 6 & 1 \\ 8 & 1 & 6 \\ 2 & 7 & 9 \end{bmatrix}$  (v)  $\begin{bmatrix} 3 \\ 6 \end{bmatrix}$

23. Which of the following is a diagonal matrix ?

(i)  $\begin{bmatrix} -9 & 0 & 0 \\ 0 & 3 & 0 \\ 0 & 0 & -9 \end{bmatrix}$  (ii)  $\begin{bmatrix} -9 & 0 & -8 \\ 0 & 3 & 0 \\ 0 & 0 & -9 \end{bmatrix}$  (iii)  $\begin{bmatrix} -9 & 0 & 0 \\ 0 & 3 & 0 \\ -8 & 0 & -9 \end{bmatrix}$  (iv)  $\begin{bmatrix} -9 & 0 & -9 \\ 0 & 3 & 0 \\ -9 & 0 & -9 \end{bmatrix}$  (v)  $\begin{bmatrix} 0 & 0 & -9 \\ 0 & 3 & 0 \\ -9 & 0 & 0 \end{bmatrix}$

The principal diagonal elements of the given matrix

24.  $\begin{bmatrix} -5 & -4 \\ -3 & 9 \end{bmatrix}$  are

(i) -4, 9 (ii) -5, 9 (iii) -5, -3 (iv) -4, -3

The principal diagonal elements of the given matrix

25.  $\begin{bmatrix} 1 & 3 & -4 \\ 5 & -1 & -3 \\ 4 & 6 & -5 \end{bmatrix}$  are

(i) 1, -1, -5 (ii) -4, -1, 4 (iii) 1, -4, -1 (iv) 3, 5, 6

26. If  $A = \begin{bmatrix} -9 & 8 \\ 1 & 7 \end{bmatrix}$  and the sum of the values of

elements of matrix  $kA = 35$ , find k

(i) 5 (ii) 7 (iii) 4 (iv) 3 (v) 6

## Assignment Key

|           |          |           |           |          |           |
|-----------|----------|-----------|-----------|----------|-----------|
| 1) (v)    | 2) (iii) | 3) (iii)  | 4) (ii)   | 5) (iv)  | 6) (i)    |
| 7) (ii)   | 8) (iv)  | 9) (ii)   | 10) (v)   | 11) (ii) | 12) (ii)  |
| 13) (i)   | 14) (iv) | 15) (ii)  | 16) (iii) | 17) (ii) | 18) (iii) |
| 19) (iii) | 20) (ii) | 21) (iii) | 22) (v)   | 23) (i)  | 24) (ii)  |
| 25) (i)   | 26) (i)  |           |           |          |           |