Name: Matrix Miscellaneous

Chapter : Matrices
Grade : ICSE Grade X

License: Non Commercial Use

1. Which of the following is an identity matrix?

(i)
$$\begin{bmatrix} 10\\04 \end{bmatrix}$$
 (ii) $\begin{bmatrix} 10\\01 \end{bmatrix}$ (iii) $\begin{bmatrix} -20\\01 \end{bmatrix}$ (iv) $\begin{bmatrix} 20\\01 \end{bmatrix}$ (v) $\begin{bmatrix} 1-1\\01 \end{bmatrix}$

2. Matrix A = $\begin{bmatrix} -2 - 3 - 1 \\ -1 + 4 + 3 \\ -3 - 4 - 3 \end{bmatrix}$ is the additive inverse of

(i)
$$\begin{bmatrix} 2 & 3 & 1 \\ 2 & -4 & -3 \\ 3 & 4 & 3 \end{bmatrix}$$
 (ii) $\begin{bmatrix} 2 & 3 & 1 \\ -1 & -4 & -3 \\ 3 & 4 & 3 \end{bmatrix}$ (iii) $\begin{bmatrix} 2 & 3 & 1 \\ 1 & -4 & -3 \\ 6 & 4 & 3 \end{bmatrix}$ (iv) $\begin{bmatrix} 1 & 3 & 1 \\ 1 & -4 & -3 \\ 3 & 4 & 3 \end{bmatrix}$ (v) $\begin{bmatrix} 2 & 3 & 1 \\ 1 & -4 & -3 \\ 3 & 4 & 3 \end{bmatrix}$

3. If $A = \begin{bmatrix} -3 & 4 & -4 \\ -2 & 3 & 3 \\ -2 & 4 & 4 \end{bmatrix}$, then $8A = \begin{bmatrix} -3 & 4 & 4 \\ -2 & 4 & 4 \end{bmatrix}$

(i)
$$\begin{bmatrix} -2432 - 32 \\ -162424 \end{bmatrix}$$
 (ii) $\begin{bmatrix} -2432 - 32 \\ -162424 \end{bmatrix}$ (iii) $\begin{bmatrix} -162424 \\ -163232 \end{bmatrix}$ (iii) $\begin{bmatrix} -162424 \\ -163231 \end{bmatrix}$ (iv) $\begin{bmatrix} -2432 - 32 \\ -162424 \\ -163235 \end{bmatrix}$ (v) $\begin{bmatrix} -2433 - 32 \\ -162424 \\ -163232 \end{bmatrix}$

4. If $A = \begin{bmatrix} -2 & 0 & -5 \\ 0 & -2 & 4 \\ -1 & -1 & 3 \end{bmatrix}$ and $O = \begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix}$, then $A + O = \begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix}$

(i)
$$\begin{bmatrix} -2 & 0 & -5 \\ 0 & -2 & 4 \\ -1 & -1 & 3 \end{bmatrix}$$
 (ii) $\begin{bmatrix} -2 & 0 & -5 \\ 0 & -2 & 6 \\ -1 & -1 & 3 \end{bmatrix}$ (iii) $\begin{bmatrix} -2 & 1 & -5 \\ 0 & -2 & 4 \\ -1 & -1 & 3 \end{bmatrix}$ (iv) $\begin{bmatrix} -2 & 0 & -5 \\ 0 & -2 & 3 \\ -1 & -1 & 3 \end{bmatrix}$ (v) $\begin{bmatrix} -2 & -2 & -5 \\ 0 & -2 & 4 \\ -1 & -1 & 3 \end{bmatrix}$

5. If $A = \begin{bmatrix} 4 & -6 \\ -5 & -4 \end{bmatrix}$, then find B satisfying A + B = O

(i)
$$\begin{bmatrix} -46 \\ 44 \end{bmatrix}$$
 (ii) $\begin{bmatrix} -66 \\ 54 \end{bmatrix}$ (iii) $\begin{bmatrix} -47 \\ 54 \end{bmatrix}$ (iv) $\begin{bmatrix} -46 \\ 57 \end{bmatrix}$ (v) $\begin{bmatrix} -46 \\ 54 \end{bmatrix}$

6. If $A = \begin{bmatrix} 3 & -2 \\ 0 & 3 \end{bmatrix}$, then find B satisfying A + B = I

(i)
$$\begin{bmatrix} -2 & 2 \\ 0 & -2 \end{bmatrix}$$
 (ii) $\begin{bmatrix} -1 & 2 \\ 0 & -2 \end{bmatrix}$ (iii) $\begin{bmatrix} -2 & 2 \\ -1 & -2 \end{bmatrix}$ (iv) $\begin{bmatrix} -2 & 2 \\ 0 & 1 \end{bmatrix}$ (v) $\begin{bmatrix} -5 & 2 \\ 0 & -2 \end{bmatrix}$

7. If $A = \begin{bmatrix} 11 \\ 30 \end{bmatrix}$, then find AI

(i)
$$\begin{bmatrix} 01\\30 \end{bmatrix}$$
 (ii) $\begin{bmatrix} 11\\30 \end{bmatrix}$ (iii) $\begin{bmatrix} 11\\3-2 \end{bmatrix}$ (iv) $\begin{bmatrix} 12\\30 \end{bmatrix}$ (v) $\begin{bmatrix} 11\\60 \end{bmatrix}$

8. If $A = \begin{bmatrix} -8 & 1 \\ -7 & -4 \end{bmatrix}$, then find B satisfying $A + B = A$	
(i) $\begin{bmatrix} 0 & 0 \\ 1 & 0 \end{bmatrix}$ (ii) $\begin{bmatrix} 2 & 0 \\ 0 & 0 \end{bmatrix}$ (iii) $\begin{bmatrix} 0 & 0 \\ -3 & 0 \end{bmatrix}$ (iv) $\begin{bmatrix} 0 & -1 \\ 0 & 0 \end{bmatrix}$ (v) $\begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix}$	
9. If $A = \begin{bmatrix} -9 & 1 \\ -5 & -5 \end{bmatrix}$, then find B satisfying $A \times B = A$	
(i) $\begin{bmatrix} 20\\01 \end{bmatrix}$ (ii) $\begin{bmatrix} 10\\0-2 \end{bmatrix}$ (iii) $\begin{bmatrix} 00\\01 \end{bmatrix}$ (iv) $\begin{bmatrix} 10\\01 \end{bmatrix}$ (v) $\begin{bmatrix} 13\\01 \end{bmatrix}$	
10. Which of the following are true?	
a) An identity matrix is a square matrixb) A row matrix is a square matrixc) A column matrix is a square matrix	
d) A null matrix is a square matrix	
(i) {d,b,a} (ii) {b,a} (iii) {c,a} (iv) {a}	
11. Which of the following are true?	
a) A 1 × 1 matrix has only one element	
b) A zero matrix is a square matrix	
c) A unit matrix has only one row and one column	
d) A scalar matrix has all elements with same value	
(i) {b,a} (ii) {d,c} (iii) {b,c,a} (iv) {b,d,a} (v) {a,c}	
12. Which of the following are true?	
a) If a matrix is symmetric, then it is a square matrix	
b) If a matrix is symmetric then it is equal to its transpose	
c) A rectangular matrix cannot be symmetric	
d) A matrix is symmetric if the principal diagonal elements are same	
(i) {d,a} (ii) {a,b,c} (iii) {d,b} (iv) {d,a,b} (v) {d,c}	
13. If the transpose of a matrix is equal to its additive inverse, that matrix is called?	
(i) identity matrix (ii) symmetric matrix (iii) scalar matrix (iv) skew symmetric matrix	
14. Which of the following are true ?	
a) Only square matrices have determinants	
b) A square matrix whose determinant is zero is called a non-singular matrix	
c) A square matrix whose determinant is zero is called a singular matrix	
d) Rectangular matrices can also have determinants	
(i) {a,c} (ii) {d,c} (iii) {b,d,a} (iv) {b,c,a} (v) {b,a}	
15. If the elements of matrix A are multiplied with -1 , we get	
(i) additive inverse of A (ii) multiplicative inverse of A (iii) additive identity of A	
(iv) multiplicative identity of A	

16.	If the element	s of matrix A	are multiplied	with 0 , we get

- (i) multiplicative inverse of A (ii) multiplicative identity of A (iii) additive identity of A
- (iv) additive inverse of A
- 17. Which of the following are true?
 - a) A null matrix is a scalar matrix
 - b) A scalar matrix is an identity matrix
 - c) An identity matrix is a scalar matrix
 - d) An identity matrix is a square matrix
 - (i) {a,b,c} (ii) {a,c} (iii) {a,d,c} (iv) {c,d} (v) {b,d}

18. A3 \times 2 matrix has

- a) 3 rows and 6 columns
- b) 3 rows and 2 columns
- c) 2 rows and 3 columns
- d) 5 rows and 2 columns
- (i) {a,b} (ii) {c,b} (iii) {d,a,b} (iv) {b}

19. Which of the following are true for matrices A and B?

- a) If A and B can be multiplied, they must have the same order
- b) If A and B can be added, they must have the same order
- c) If AB = 0, A = 0 or B = 0 or both A and B are zero matrices
- d) The orders of $(A \times B)$ and $(B \times A)$ are same
- (i) {c,b} (ii) {d,a,b} (iii) {a,b} (iv) {b}

20. If(A+B) = 0, then

- a) A is the additive inverse of B
- b) A is the additive identity of B
- c) B is the additive identity of A
- d) B is the additive inverse of A
- (i) {b,c,a} (ii) {a,d} (iii) {b,d,a} (iv) {b,a} (v) {c,d}

21. Which of the following is a square matrix?

(i)
$$\begin{bmatrix} 472 \\ 487 \end{bmatrix}$$
 (ii) $\begin{bmatrix} 82 \\ 67 \\ 74 \end{bmatrix}$ (iii) $\begin{bmatrix} 74 \\ 68 \end{bmatrix}$ (iv) $\begin{bmatrix} 54 \end{bmatrix}$ (v) $\begin{bmatrix} 131 \\ 876 \end{bmatrix}$

22. Which of the following is a rectangular matrix?

(i)
$$\begin{bmatrix} 336 \\ 374 \\ 798 \end{bmatrix}$$
 (ii) $\begin{bmatrix} 62 \\ 28 \end{bmatrix}$ (iii) $\begin{bmatrix} 3419 \\ 4682 \end{bmatrix}$ (iv) $\begin{bmatrix} 9 \end{bmatrix}$ (v) $\begin{bmatrix} 64 \\ 12 \end{bmatrix}$

b) If $AB = 0$, then $A = 0$ or $B = 0$ or both $A \& B$ are 0
c) The order of(A×B) and(B×A) is same
d) If matrices A & B can be added, they must have the same order
(i) {d} (ii) {b,d} (iii) {a,d} (iv) {c,a,d}
24. Which of the following are true for matrices A, B and C?
a) $A \times (B \times C) = (A \times B) \times C$
b) $(A \times I) = (I \times A) = A$
c) $(A+B)\times C = (A\times B)+(A\times C)$
d) $(A \times B) = (B \times A)$
e) $(A \times I) = (I \times A) = I$
f) $A \times (B+C) = (A \times B) + (A \times C)$
1) AX(BTC) = (AXB)T(AXC)
(i) {d,a,b} (ii) {c,a} (iii) {d,b} (iv) {a,b,f} (v) {e,c,f}
If the order of matrix A ism × n and B isn × o,
then the order of(A×B) is
(i) $m \times n$ (ii) $o \times m$ (iii) $n \times o$ (iv) $m \times o$
26. Which of the following is a row matrix
6
6 9
(i) $\begin{bmatrix} 811 \end{bmatrix}$ (ii) $\begin{bmatrix} 6 \\ 2 \end{bmatrix}$ (iii) $\begin{bmatrix} 5 \\ 6 \end{bmatrix}$ (iv) $\begin{bmatrix} 9 \\ 4 \end{bmatrix}$ (v) $\begin{bmatrix} 6 \\ 2 \end{bmatrix}$
6 8
ü
27. Which of the following is a column matrix
477
(i) $\begin{bmatrix} 995 \end{bmatrix}$ (ii) $\begin{bmatrix} 26 \end{bmatrix}$ (iii) $\begin{bmatrix} 133 \end{bmatrix}$ (iv) $\begin{bmatrix} 3184 \end{bmatrix}$ (v) $\begin{bmatrix} 5 \\ 1 \end{bmatrix}$
L J L J L J L1 J L1 J

23. Which of the following are true?

a) If matrices A & B can be multiplied, they must have the same order

- a) If A X B is possible, the no of cols in A must be equal to no of cols in B
- b) If A X B is possible, the no of cols in A must be equal to no of rows in B $\,$
- c) If A X B is possible, the no of rows in A must be equal to no of rows in B
- d) If A X B is possible, the no of rows in A must be equal to no of cols in B $\,$
- (i) {c,b} (ii) {d,a,b} (iii) {a,b} (iv) {b}

29. Which of the following is a diagonal matrix?

(i)
$$\begin{bmatrix} -40.4 \\ 040 \\ 606 \end{bmatrix}$$
 (ii) $\begin{bmatrix} -400 \\ 040 \\ 006 \end{bmatrix}$ (iii) $\begin{bmatrix} 00.4 \\ 040 \\ 600 \end{bmatrix}$ (iv) $\begin{bmatrix} -400 \\ 040 \\ -606 \end{bmatrix}$ (v) $\begin{bmatrix} -40.6 \\ 040 \\ 006 \end{bmatrix}$

30. If $A = \begin{bmatrix} 3 & 0 \\ 0 & x \end{bmatrix}$ is a scalar matrix, then x = ?

(i) 9 (ii) 3 (iii) 0 (iv) x (v) 1

The principal diagonal elements of the given matrix

31. $\begin{bmatrix} 1 - 8 \\ -6 - 3 \end{bmatrix}$ are

(i) 1,-6 (ii) -8,-3 (iii) 1,-3 (iv) -8,-6

The principal diagonal elements of the given matrix

32. $\begin{bmatrix} 7 & 9 & 8 \\ 4 & -4 & -5 \\ -6 & -1 & -7 \end{bmatrix}$ are

(i) 7,-4,-7 (ii) 9,4,-1 (iii) 8,-4,-6 (iv) 7,8,-4

33. If $A = \begin{bmatrix} 4 - 8 \\ -9 - 4 \end{bmatrix}$ and the sum of the values of

elements of matrix kA = -68, find k

(i) 2 (ii) 4 (iii) 7 (iv) 5 (v) 3

34. If $A = \begin{bmatrix} -93 \\ 32 \end{bmatrix}$, the value of $-A = \begin{bmatrix} -93 \\ 32 \end{bmatrix}$

(i) $\begin{bmatrix} 9 - 3 \\ 0 - 2 \end{bmatrix}$ (ii) $\begin{bmatrix} 8 - 3 \\ -3 - 2 \end{bmatrix}$ (iii) $\begin{bmatrix} 9 - 3 \\ -3 - 1 \end{bmatrix}$ (iv) $\begin{bmatrix} 9 - 3 \\ -3 - 2 \end{bmatrix}$ (v) $\begin{bmatrix} 9 - 3 \\ -3 - 5 \end{bmatrix}$

35. Find the multiplicative identity of matrix A = $\begin{bmatrix} 5 & 2 \\ -8 & 5 \end{bmatrix}$

(i) $\begin{bmatrix} 10\\02 \end{bmatrix}$ (ii) $\begin{bmatrix} 10\\00 \end{bmatrix}$ (iii) $\begin{bmatrix} 10\\-31 \end{bmatrix}$ (iv) $\begin{bmatrix} 10\\01 \end{bmatrix}$ (v) $\begin{bmatrix} 13\\01 \end{bmatrix}$

36. Find the multiplicative identity of matrix A = $\begin{bmatrix} -3 & 2 & 0 \\ 1 & -1 & 4 \end{bmatrix}$

(i) $\begin{bmatrix} 100 \\ 010 \\ 001 \end{bmatrix}$ (ii) $\begin{bmatrix} 100 \\ 010 \\ 0-31 \end{bmatrix}$ (iii) $\begin{bmatrix} 100 \\ 013 \\ 001 \end{bmatrix}$ (iv) $\begin{bmatrix} 100 \\ 01-1 \\ 001 \end{bmatrix}$ (v) $\begin{bmatrix} 110 \\ 010 \\ 001 \end{bmatrix}$

37. Find the additive identity of matrix $A = \begin{bmatrix} -1 & 6 \\ -8 & -2 \end{bmatrix}$

(i)
$$\begin{bmatrix} 000 \\ 010 \\ 000 \end{bmatrix}$$
 (ii) $\begin{bmatrix} 000 \\ 000 \\ 000 \end{bmatrix}$ (iii) $\begin{bmatrix} 0-20 \\ 000 \\ 000 \end{bmatrix}$ (iv) $\begin{bmatrix} 000 \\ 000 \\ 002 \end{bmatrix}$ (v) $\begin{bmatrix} -100 \\ 000 \\ 000 \end{bmatrix}$

Assignment Key							
1) (ii)	2) (v)	3) (ii)	4) (i)	5) (v)	6) (i)		
7) (ii)	8) (v)	9) (iv)	10) (iv)	11) (v)	12) (ii)		
13) (iv)	14) (i)	15) (i)	16) (iii)	17) (iv)	18) (iv)		
19) (iv)	20) (ii)	21) (iii)	22) (v)	23) (i)	24) (iv)		
25) (iv)	26) (i)	27) (v)	28) (iv)	29) (ii)	30) (ii)		
31) (iii)	32) (i)	33) (ii)	34) (iv)	35) (iv)	36) (i)		
37) (v)	38) (ii)						

Copyright © Small Systems Computing Pvt. Ltd.