




1. Less than cumulative curves are drawn using
 - (i) mid values of classes and less than cumulative frequencies
 - (ii) lower boundaries of classes and less than cumulative frequencies
 - (iii) lower boundaries of classes and greater than cumulative frequencies
 - (iv) upper boundaries of classes and less than cumulative frequencies
2. Greater than cumulative curves are drawn using
 - (i) mid values of classes and greater than cumulative frequencies
 - (ii) upper boundaries of classes and less than cumulative frequencies
 - (iii) lower boundaries of classes and greater than cumulative frequencies
 - (iv) upper boundaries of classes and greater than cumulative frequencies

3. Identify the frequency distribution table for the given ogive.



(i)

Class-Interval	16 - 21	21 - 26	26 - 31	31 - 36	36 - 41
Frequency	9	12	11	10	4

(ii)

Class-Interval	16 - 21	21 - 26	26 - 31	31 - 36	36 - 41
Frequency	3	13	17	18	18

(iii)

Class-Interval	16 - 21	21 - 26	26 - 31	31 - 36	36 - 41
Frequency	12	18	9	14	4


(iv)

Class-Interval	16 - 21	21 - 26	26 - 31	31 - 36	36 - 41
Frequency	20	11	18	5	13

(v)

Class-Interval	16 - 21	21 - 26	26 - 31	31 - 36	36 - 41
Frequency	12	18	17	12	5

4. Identify the frequency distribution table for the given 'less than' ogive.



(i)

Class-Interval	18 - 27	28 - 37	38 - 47	48 - 57	58 - 67	68 - 77	78 - 87
Frequency	18	10	5	16	6	9	7

(ii)

Class-Interval	18 - 27	28 - 37	38 - 47	48 - 57	58 - 67	68 - 77	78 - 87
Frequency	13	14	18	3	2	9	19

(iii)

Class-Interval	18 - 27	28 - 37	38 - 47	48 - 57	58 - 67	68 - 77	78 - 87
Frequency	10	11	10	8	5	12	7


(iv)

Class-Interval	18 - 27	28 - 37	38 - 47	48 - 57	58 - 67	68 - 77	78 - 87
Frequency	14	2	10	3	20	9	8

(v)

Class-Interval	18 - 27	28 - 37	38 - 47	48 - 57	58 - 67	68 - 77	78 - 87
Frequency	3	10	12	18	4	17	15

5. Identify the frequency distribution table for the given 'less than' ogive.



(i)

Class-Interval	13 - 23	23 - 33	33 - 43	43 - 53	53 - 63	63 - 73
Frequency	5	7	20	17	5	15

(ii)

Class-Interval	13 - 23	23 - 33	33 - 43	43 - 53	53 - 63	63 - 73
Frequency	20	13	17	19	7	15

(iii)

Class-Interval	13 - 23	23 - 33	33 - 43	43 - 53	53 - 63	63 - 73
Frequency	4	9	3	9	7	3


(iv)

Class-Interval	13 - 23	23 - 33	33 - 43	43 - 53	53 - 63	63 - 73
Frequency	12	1	20	17	2	9

(v)


Class-Interval	13 - 23	23 - 33	33 - 43	43 - 53	53 - 63	63 - 73
Frequency	13	11	8	18	20	10

6. The given ogive represents the heights of workers (in cm) in a factory.
Find the number of workers whose height is less than 155 cm




- (i) 17 (ii) 7 (iii) 12 (iv) 8 (v) 16

7. The heights of 46 pupils in a school are given below. Identify the frequency distribution table for the given 'less than' ogive.



- (i)
- | Height (in cm) | 127 - 135 | 136 - 144 | 145 - 153 | 154 - 162 | 163 - 171 | 172 - 180 | 181 - 189 | 190 - 198 |
|----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| No. of pupils | 3 | 4 | 4 | 12 | 12 | 3 | 3 | 5 |
- (ii)
- | Height (in cm) | 127 - 135 | 136 - 144 | 145 - 153 | 154 - 162 | 163 - 171 | 172 - 180 | 181 - 189 | 190 - 198 |
|----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| No. of pupils | 3 | 4 | 12 | 4 | 12 | 3 | 3 | 5 |
- (iii)
- | Height (in cm) | 127 - 135 | 136 - 144 | 145 - 153 | 154 - 162 | 163 - 171 | 172 - 180 | 181 - 189 | 190 - 198 |
|----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| No. of pupils | 3 | 4 | 7 | 12 | 12 | 3 | 3 | 5 |
- (iv)
- | Height (in cm) | 127 - 135 | 136 - 144 | 145 - 153 | 154 - 162 | 163 - 171 | 172 - 180 | 181 - 189 | 190 - 198 |
|----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| No. of pupils | 3 | 5 | 4 | 12 | 12 | 3 | 3 | 4 |
- (v)
- | Height (in cm) | 127 - 135 | 136 - 144 | 145 - 153 | 154 - 162 | 163 - 171 | 172 - 180 | 181 - 189 | 190 - 198 |
|----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| No. of pupils | 3 | 4 | 4 | 12 | 17 | 3 | 3 | 5 |

8. Heights of 59 students (in cm) are given below. Identify the frequency distribution table for the given 'less than' ogive.



(i)

Height (in cm)	125 - 130	130 - 135	135 - 140	140 - 145	145 - 150
No. of students	8	14	20	7	13

(ii)

Height (in cm)	125 - 130	130 - 135	135 - 140	140 - 145	145 - 150
No. of students	8	11	20	7	13

(iii)

Height (in cm)	125 - 130	130 - 135	135 - 140	140 - 145	145 - 150
No. of students	8	13	20	7	11


(iv)

Height (in cm)	125 - 130	130 - 135	135 - 140	140 - 145	145 - 150
No. of students	8	20	11	7	13

(v)

Height (in cm)	125 - 130	130 - 135	135 - 140	140 - 145	145 - 150
No. of students	8	11	25	7	13

9. Heights of 75 students (in cm) are given below. Identify the frequency distribution table for the given 'less than' ogive.



(i)

Height (in cm)	124 - 133	134 - 143	144 - 153	154 - 163	164 - 173	174 - 183
No. of students	19	5	14	14	17	8

(ii)

Height (in cm)	124 - 133	134 - 143	144 - 153	154 - 163	164 - 173	174 - 183
No. of students	19	8	12	14	17	5

(iii)

Height (in cm)	124 - 133	134 - 143	144 - 153	154 - 163	164 - 173	174 - 183
No. of students	19	5	12	14	17	8


(iv)

Height (in cm)	124 - 133	134 - 143	144 - 153	154 - 163	164 - 173	174 - 183
No. of students	19	12	5	14	17	8

(v)

Height (in cm)	124 - 133	134 - 143	144 - 153	154 - 163	164 - 173	174 - 183
No. of students	19	5	12	12	17	8

10. Heights of 92 plants (in cm) are given below. Identify the frequency distribution table for the given 'less than' ogive.



(i)

Height (in cm)	69 - 74	74 - 79	79 - 84	84 - 89	89 - 94	94 - 99	99 - 104
No. of plants	12	10	16	18	19	6	13

(ii)

Height (in cm)	69 - 74	74 - 79	79 - 84	84 - 89	89 - 94	94 - 99	99 - 104
No. of plants	12	13	16	16	19	6	10

(iii)

Height (in cm)	69 - 74	74 - 79	79 - 84	84 - 89	89 - 94	94 - 99	99 - 104
No. of plants	12	16	10	16	19	6	13


(iv)

Height (in cm)	69 - 74	74 - 79	79 - 84	84 - 89	89 - 94	94 - 99	99 - 104
No. of plants	12	10	21	16	19	6	13

(v)


Height (in cm)	69 - 74	74 - 79	79 - 84	84 - 89	89 - 94	94 - 99	99 - 104
No. of plants	12	10	16	16	19	6	13

11. Heights of 95 plants (in cm) are given below. Identify the frequency distribution table for the given 'less than' ogive.



- (i)
- | Height (in cm) | 61 - 69 | 70 - 78 | 79 - 87 | 88 - 96 | 97 - 105 | 106 - 114 |
|----------------|---------|---------|---------|---------|----------|-----------|
| No. of plants | 14 | 16 | 20 | 19 | 18 | 8 |
- (ii)
- | Height (in cm) | 61 - 69 | 70 - 78 | 79 - 87 | 88 - 96 | 97 - 105 | 106 - 114 |
|----------------|---------|---------|---------|---------|----------|-----------|
| No. of plants | 14 | 20 | 8 | 19 | 18 | 16 |
- (iii)
- | Height (in cm) | 61 - 69 | 70 - 78 | 79 - 87 | 88 - 96 | 97 - 105 | 106 - 114 |
|----------------|---------|---------|---------|---------|----------|-----------|
| No. of plants | 14 | 8 | 20 | 21 | 18 | 16 |
- (iv)
- | Height (in cm) | 61 - 69 | 70 - 78 | 79 - 87 | 88 - 96 | 97 - 105 | 106 - 114 |
|----------------|---------|---------|---------|---------|----------|-----------|
| No. of plants | 14 | 8 | 20 | 19 | 18 | 16 |
- (v)
- | Height (in cm) | 61 - 69 | 70 - 78 | 79 - 87 | 88 - 96 | 97 - 105 | 106 - 114 |
|----------------|---------|---------|---------|---------|----------|-----------|
| No. of plants | 14 | 8 | 17 | 19 | 18 | 16 |

12. Ages of 94 students (in years) are given below. Identify the frequency distribution table for the given 'less than' ogive.



(i)

Age (in years)	16 - 23	23 - 30	30 - 37	37 - 44	44 - 51	51 - 58	58 - 65
No. of students	10	13	10	12	18	9	20

(ii)

Age (in years)	16 - 23	23 - 30	30 - 37	37 - 44	44 - 51	51 - 58	58 - 65
No. of students	10	13	12	9	18	9	20

(iii)

Age (in years)	16 - 23	23 - 30	30 - 37	37 - 44	44 - 51	51 - 58	58 - 65
No. of students	10	13	12	12	18	9	20


(iv)

Age (in years)	16 - 23	23 - 30	30 - 37	37 - 44	44 - 51	51 - 58	58 - 65
No. of students	10	20	12	12	18	9	13

(v)

Age (in years)	16 - 23	23 - 30	30 - 37	37 - 44	44 - 51	51 - 58	58 - 65
No. of students	10	12	13	12	18	9	20

13. Ages of 108 students (in years) are given below. Identify the frequency distribution table for the given 'less than' ogive.



(i)

Age (in years)	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80 - 89
No. of students	7	16	12	19	18	19	17

(ii)

Age (in years)	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80 - 89
No. of students	7	17	7	19	18	19	16

(iii)

Age (in years)	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80 - 89
No. of students	7	12	17	19	18	19	16


(iv)

Age (in years)	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80 - 89
No. of students	7	17	12	15	18	19	16

(v)


Age (in years)	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80 - 89
No. of students	7	17	12	19	18	19	16

14. Scores of 90 students are given below. Identify the frequency distribution table for the given 'less than' ogive.



- (i)
- | Score | 86 - 93 | 93 - 100 | 100 - 107 | 107 - 114 | 114 - 121 | 121 - 128 | 128 - 135 | 135 - 142 |
|-----------------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|
| No. of students | 11 | 5 | 18 | 7 | 7 | 18 | 16 | 12 |
- (ii)
- | Score | 86 - 93 | 93 - 100 | 100 - 107 | 107 - 114 | 114 - 121 | 121 - 128 | 128 - 135 | 135 - 142 |
|-----------------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|
| No. of students | 11 | 5 | 14 | 7 | 7 | 18 | 16 | 12 |
- (iii)
- | Score | 86 - 93 | 93 - 100 | 100 - 107 | 107 - 114 | 114 - 121 | 121 - 128 | 128 - 135 | 135 - 142 |
|-----------------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|
| No. of students | 11 | 5 | 7 | 14 | 7 | 18 | 16 | 12 |
- (iv)
- | Score | 86 - 93 | 93 - 100 | 100 - 107 | 107 - 114 | 114 - 121 | 121 - 128 | 128 - 135 | 135 - 142 |
|-----------------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|
| No. of students | 11 | 12 | 14 | 7 | 7 | 18 | 16 | 5 |
- (v)
- | Score | 86 - 93 | 93 - 100 | 100 - 107 | 107 - 114 | 114 - 121 | 121 - 128 | 128 - 135 | 135 - 142 |
|-----------------|---------|----------|-----------|-----------|-----------|-----------|-----------|-----------|
| No. of students | 11 | 5 | 14 | 7 | 10 | 18 | 16 | 12 |

15. Temperatures of 74 days (in °C) are given below. Identify the frequency distribution table for the given 'less than' ogive.



(i)

Temperature (in degree)	27 - 33	33 - 39	39 - 45	45 - 51	51 - 57	57 - 63	63 - 69
No. of days	10	6	13	10	10	15	10

(ii)

Temperature (in degree)	27 - 33	33 - 39	39 - 45	45 - 51	51 - 57	57 - 63	63 - 69
No. of days	10	10	13	10	10	15	6

(iii)

Temperature (in degree)	27 - 33	33 - 39	39 - 45	45 - 51	51 - 57	57 - 63	63 - 69
No. of days	10	10	9	10	10	15	6


(iv)

Temperature (in degree)	27 - 33	33 - 39	39 - 45	45 - 51	51 - 57	57 - 63	63 - 69
No. of days	10	10	13	14	10	15	6

(v)

Temperature (in degree)	27 - 33	33 - 39	39 - 45	45 - 51	51 - 57	57 - 63	63 - 69
No. of days	10	13	10	10	10	15	6

16. Temperatures of 115 days (in °C) are given below. Identify the frequency distribution table for the given 'less than' ogive.



- (i)

Temperature (in degree)	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 - 94	95 - 104	105 - 114
No. of days	11	17	20	16	16	10	16	9
- (ii)


Temperature (in degree)	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 - 94	95 - 104	105 - 114
No. of days	11	17	20	16	14	10	16	9
- (iii)

Temperature (in degree)	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 - 94	95 - 104	105 - 114
No. of days	11	17	24	16	16	10	16	9
- (iv)

Temperature (in degree)	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 - 94	95 - 104	105 - 114
No. of days	11	17	16	20	16	10	16	9
- (v)

Temperature (in degree)	35 - 44	45 - 54	55 - 64	65 - 74	75 - 84	85 - 94	95 - 104	105 - 114
No. of days	11	9	20	16	16	10	16	17

17. Weights of 87 students (in kg) are given below. Identify the frequency distribution table for the given 'less than' ogive.



(i)

Weight (in kg)	60 - 65	65 - 70	70 - 75	75 - 80	80 - 85	85 - 90	90 - 95
No. of students	12	10	8	15	17	5	20

(ii)

Weight (in kg)	60 - 65	65 - 70	70 - 75	75 - 80	80 - 85	85 - 90	90 - 95
No. of students	12	10	11	15	17	5	20

(iii)

Weight (in kg)	60 - 65	65 - 70	70 - 75	75 - 80	80 - 85	85 - 90	90 - 95
No. of students	12	10	8	10	17	5	20


(iv)

Weight (in kg)	60 - 65	65 - 70	70 - 75	75 - 80	80 - 85	85 - 90	90 - 95
No. of students	12	20	8	15	17	5	10

(v)

Weight (in kg)	60 - 65	65 - 70	70 - 75	75 - 80	80 - 85	85 - 90	90 - 95
No. of students	12	8	10	15	17	5	20

18. Weights of 126 students (in kg) are given below. Identify the frequency distribution table for the given 'less than' ogive.



- (i)

Weight (in kg)	49 - 58	59 - 68	69 - 78	79 - 88	89 - 98	99 - 108	109 - 118	119 - 128
No. of students	9	19	10	20	20	16	16	16
- (ii)


Weight (in kg)	49 - 58	59 - 68	69 - 78	79 - 88	89 - 98	99 - 108	109 - 118	119 - 128
No. of students	9	16	20	10	20	16	16	19
- (iii)

Weight (in kg)	49 - 58	59 - 68	69 - 78	79 - 88	89 - 98	99 - 108	109 - 118	119 - 128
No. of students	9	16	10	20	20	16	16	19
- (iv)

Weight (in kg)	49 - 58	59 - 68	69 - 78	79 - 88	89 - 98	99 - 108	109 - 118	119 - 128
No. of students	9	16	10	20	15	16	16	19
- (v)


Weight (in kg)	49 - 58	59 - 68	69 - 78	79 - 88	89 - 98	99 - 108	109 - 118	119 - 128
No. of students	9	16	13	20	20	16	16	19

19. Rainfall of 97 days (in mm) are given below. Identify the frequency distribution table for the given 'less than' ogive.




- (i)
- | Rainfall (in mm) | 15 - 20 | 20 - 25 | 25 - 30 | 30 - 35 | 35 - 40 | 40 - 45 | 45 - 50 |
|------------------|---------|---------|---------|---------|---------|---------|---------|
| No. of days | 20 | 12 | 20 | 9 | 9 | 9 | 18 |
- (ii)
- | Rainfall (in mm) | 15 - 20 | 20 - 25 | 25 - 30 | 30 - 35 | 35 - 40 | 40 - 45 | 45 - 50 |
|------------------|---------|---------|---------|---------|---------|---------|---------|
| No. of days | 20 | 18 | 20 | 14 | 9 | 9 | 12 |
- (iii)
- | Rainfall (in mm) | 15 - 20 | 20 - 25 | 25 - 30 | 30 - 35 | 35 - 40 | 40 - 45 | 45 - 50 |
|------------------|---------|---------|---------|---------|---------|---------|---------|
| No. of days | 20 | 20 | 18 | 9 | 9 | 9 | 12 |
- (iv)
- | Rainfall (in mm) | 15 - 20 | 20 - 25 | 25 - 30 | 30 - 35 | 35 - 40 | 40 - 45 | 45 - 50 |
|------------------|---------|---------|---------|---------|---------|---------|---------|
| No. of days | 20 | 18 | 20 | 9 | 9 | 9 | 12 |
- (v)
- | Rainfall (in mm) | 15 - 20 | 20 - 25 | 25 - 30 | 30 - 35 | 35 - 40 | 40 - 45 | 45 - 50 |
|------------------|---------|---------|---------|---------|---------|---------|---------|
| No. of days | 20 | 18 | 18 | 9 | 9 | 9 | 12 |

20. Rainfall of 79 days (in mm) are given below. Identify the frequency distribution table for the given 'less than' ogive.




- (i)
- | | | | | | | |
|-------------------------|--------|---------|---------|---------|---------|---------|
| Rainfall (in mm) | 9 - 18 | 19 - 28 | 29 - 38 | 39 - 48 | 49 - 58 | 59 - 68 |
| No. of days | 7 | 8 | 14 | 13 | 18 | 19 |
- (ii)
- | | | | | | | |
|-------------------------|--------|---------|---------|---------|---------|---------|
| Rainfall (in mm) | 9 - 18 | 19 - 28 | 29 - 38 | 39 - 48 | 49 - 58 | 59 - 68 |
| No. of days | 7 | 14 | 8 | 16 | 18 | 19 |
- (iii)
- | | | | | | | |
|-------------------------|--------|---------|---------|---------|---------|---------|
| Rainfall (in mm) | 9 - 18 | 19 - 28 | 29 - 38 | 39 - 48 | 49 - 58 | 59 - 68 |
| No. of days | 7 | 14 | 8 | 13 | 18 | 19 |
- (iv)
- | | | | | | | |
|-------------------------|--------|---------|---------|---------|---------|---------|
| Rainfall (in mm) | 9 - 18 | 19 - 28 | 29 - 38 | 39 - 48 | 49 - 58 | 59 - 68 |
| No. of days | 7 | 19 | 8 | 13 | 18 | 14 |
- (v)
- | | | | | | | |
|-------------------------|--------|---------|---------|---------|---------|---------|
| Rainfall (in mm) | 9 - 18 | 19 - 28 | 29 - 38 | 39 - 48 | 49 - 58 | 59 - 68 |
| No. of days | 7 | 14 | 3 | 13 | 18 | 19 |

21. Daily wages of 62 labourers (in ₹) are given below. Identify the frequency distribution table for the given 'less than' ogive.



- (i)
- | Daily wage (in Rs) | 276 - 283 | 283 - 290 | 290 - 297 | 297 - 304 | 304 - 311 |
|--------------------|-----------|-----------|-----------|-----------|-----------|
| No. of labourers | 19 | 22 | 5 | 5 | 14 |
- (ii)
- | Daily wage (in Rs) | 276 - 283 | 283 - 290 | 290 - 297 | 297 - 304 | 304 - 311 |
|--------------------|-----------|-----------|-----------|-----------|-----------|
| No. of labourers | 19 | 14 | 5 | 5 | 19 |
- (iii)
- | Daily wage (in Rs) | 276 - 283 | 283 - 290 | 290 - 297 | 297 - 304 | 304 - 311 |
|--------------------|-----------|-----------|-----------|-----------|-----------|
| No. of labourers | 19 | 19 | 1 | 5 | 14 |
- (iv)
- | Daily wage (in Rs) | 276 - 283 | 283 - 290 | 290 - 297 | 297 - 304 | 304 - 311 |
|--------------------|-----------|-----------|-----------|-----------|-----------|
| No. of labourers | 19 | 5 | 19 | 5 | 14 |
- (v)
- | Daily wage (in Rs) | 276 - 283 | 283 - 290 | 290 - 297 | 297 - 304 | 304 - 311 |
|--------------------|-----------|-----------|-----------|-----------|-----------|
| No. of labourers | 19 | 19 | 5 | 5 | 14 |

22. Daily wages of 72 labourers (in ₹) are given below. Identify the frequency distribution table for the given 'less than' ogive.



- (i)
- | Daily wage (in Rs) | 232 - 241 | 242 - 251 | 252 - 261 | 262 - 271 | 272 - 281 | 282 - 291 | 292 - 301 | 302 - 311 |
|--------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| No. of labourers | 5 | 7 | 14 | 5 | 7 | 11 | 7 | 16 |
- (ii)
- | Daily wage (in Rs) | 232 - 241 | 242 - 251 | 252 - 261 | 262 - 271 | 272 - 281 | 282 - 291 | 292 - 301 | 302 - 311 |
|--------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| No. of labourers | 5 | 16 | 5 | 14 | 7 | 11 | 7 | 7 |
- (iii)
- | Daily wage (in Rs) | 232 - 241 | 242 - 251 | 252 - 261 | 262 - 271 | 272 - 281 | 282 - 291 | 292 - 301 | 302 - 311 |
|--------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| No. of labourers | 5 | 16 | 14 | 5 | 7 | 11 | 7 | 7 |
- (iv)
- | Daily wage (in Rs) | 232 - 241 | 242 - 251 | 252 - 261 | 262 - 271 | 272 - 281 | 282 - 291 | 292 - 301 | 302 - 311 |
|--------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| No. of labourers | 5 | 16 | 16 | 5 | 7 | 11 | 7 | 7 |
- (v)
- | Daily wage (in Rs) | 232 - 241 | 242 - 251 | 252 - 261 | 262 - 271 | 272 - 281 | 282 - 291 | 292 - 301 | 302 - 311 |
|--------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| No. of labourers | 5 | 16 | 14 | 5 | 3 | 11 | 7 | 7 |

Assignment Key

1) (iv)	2) (iii)	3) (i)	4) (iii)	5) (iii)	6) (iii)
7) (i)	8) (ii)	9) (iii)	10) (v)	11) (iv)	12) (iii)
13) (v)	14) (ii)	15) (ii)	16) (i)	17) (i)	18) (iii)
19) (iv)	20) (iii)	21) (v)	22) (iii)		