



1. Given class interval 41 - 46 in exclusive form, its lower limit is

- (i) 38 (ii) 42 (iii) 43 (iv) 41 (v) 40

2. Given class interval 47 - 51 in exclusive form, its upper limit is

- (i) 48 (ii) 51 (iii) 50 (iv) 52 (v) 53

3. Given class interval 27 - 37 in exclusive form, its class size is

- (i) 9 (ii) 11 (iii) 13 (iv) 8 (v) 10

4. Given class interval 49 - 58 in exclusive form, its class mark is

- (i)  $\frac{109}{2}$  (ii) 54 (iii)  $\frac{107}{2}$  (iv)  $\frac{105}{2}$  (v)  $\frac{213}{4}$

5. Given class interval 26 - 32 in exclusive form, its mid value is

- (i) 28 (ii) 29 (iii) 30 (iv) 27 (v) 32

6. If the upper and lower limit of class interval are 41 and 37 respectively, then the class interval is

- (i) 36.5-41 (ii) 37.5-40.5 (iii) 37-41 (iv) 37-41.5 (v) 36.5-41.5

7. If the lower and upper limit of class interval are 34 and 38 respectively, then the class interval is

- (i) 34-38.5 (ii) 34-38 (iii) 33.5-38 (iv) 34.5-37.5 (v) 33.5-38.5

8. The class boundaries of 22 - 28 which is in exclusive form are

- (i) 22-28.5 (ii) 21.5-28 (iii) 22.5-27.5 (iv) 21.5-28.5 (v) 22-28

The class size used in the below table is

<b>Class-Interval</b>	39 - 48	48 - 57	57 - 66	66 - 75	75 - 84	84 - 93	93 - 102
<b>Frequency</b>	10	16	3	6	15	5	19

- (i) 12 (ii) 10 (iii) 8 (iv) 6 (v) 9

10. In exclusive form representation, the observation 32 falls in which class?

- (i) 27-32 (ii) 32-42 (iii) 42-52 (iv) 37-47 (v) 22-32

The class mark of the class with frequency x is

<b>Class-Interval</b>	<b>Frequency</b>
1 - 6	29
6 - 11	11
11 - 16	1
16 - 21	x
21 - 26	4

- (i)  $\frac{35}{2}$  (ii) 19 (iii)  $\frac{39}{2}$  (iv)  $\frac{73}{4}$  (v)  $\frac{37}{2}$

11.

The class boundaries of the class with frequency x is

12.

Class-Interval	Frequency
20 - 27	x
27 - 34	8
34 - 41	14
41 - 48	5
48 - 55	10

- (i) 20-27 (ii) 20-27.5 (iii) 20.5-26.5 (iv) 19.5-27 (v) 19.5-27.5

The true lower limit and true upper limit of the class with frequency x is

13.

Class-Interval	Frequency
33 - 41	15
41 - 49	12
49 - 57	24
57 - 65	20
65 - 73	x

- (i) 65-73 (ii) 65.5-72.5 (iii) 64.5-73.5 (iv) 64.5-73 (v) 65-73.5

The upper limit of the class with frequency x is

14.

Class-Interval	Frequency
29 - 36	x
36 - 43	16
43 - 50	6
50 - 57	27
57 - 64	26

- (i) 34 (ii) 38 (iii) 36 (iv) 37 (v) 35

15. If the sample data with range 50 has to be divided into 9 class intervals, then the length of the class is

- (i) 6 (ii) 4 (iii) 8 (iv) 7 (v) 5

16. If the length of the class is 5, then the number of class intervals needed to represent data with range 40 is

- (i) 9 (ii) 6 (iii) 11 (iv) 10 (v) 8

17. The number of classes of class size 7 required to represent the given random sample in exclusive form

1 13 16 16 19 21 22 23 24 26 27 27 30 30 33 35 36 36 39 39 45 45 45 46 47 48 49

- (i) 6 (ii) 8 (iii) 7 (iv) 5 (v) 10

18. If some random sample data is arranged in a frequency distribution table in exclusive form with 2 - 11 as the first class, then the observation 27 falls in which class?

- (i) 20-29 (ii) 21-30 (iii) 19.5-29.5 (iv) 20.5-28.5 (v) 19-28

Given class interval table, find the sum of frequencies.

19.

Class-Interval	36 - 44	44 - 52	52 - 60	60 - 68
Frequency	27	12	25	23

- (i) 85 (ii) 90 (iii) 87 (iv) 86 (v) 88

20. The class marks of a frequency distribution are 32.5 , 39.5 , 46.5 , 53.5 .

Find the class size and class intervals in exclusive form

- (i) 7;28-35,35-42,42-49,49-56 (ii) 7;29-36,36-43,43-50,50-57 (iii) 8;29-36,37-44,45-52,53-60

- (iv) 9;28-36,37-45,46-54,55-63 (v) 7;30-37,37-44,44-51,51-58

## Assignment Key

1) (iv)	2) (ii)	3) (v)	4) (iii)	5) (ii)	6) (iii)
7) (ii)	8) (v)	9) (v)	10) (ii)	11) (v)	12) (i)
13) (i)	14) (iii)	15) (i)	16) (i)	17) (iii)	18) (i)
19) (iii)	20) (ii)				

Copyright © Small Systems Computing Pvt. Ltd.